13	Time stamp 2004/03/12 13:38 2004/03/12 13:38 2004/03/12 14:04
711/144.ccls. or 711/145.ccls. or 711/145.ccls. or 711/159.ccls. or 711/207.ccls. 14	- 2004/03/12 13:38
711/159.ccls. or 711/207.ccls. EPO; JPO; DERWENT; IBM_TDB 14 3797 709/250.ccls. or 370/465.ccls. or USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB 15 (address\$3 near5 (translat\$3 or convert\$3 or DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;	
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; Conversion or map\$4)) or tlb or atu or (translation near3 buffer) USPAT; US-PGPUB; EPO; JPO; DERWENT;	
14 3797 709/250.ccls. or 370/465.ccls. or USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;	
14 3797 709/250.ccls. or 370/465.ccls. or USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; Conversion or map\$4)) or tlb or atu or (translation near3 buffer) USPAT; US-PGPUB; EPO; JPO; DERWENT;	
710/305-306.ccls. US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; Conversion or map\$4)) or tlb or atu or (translation near3 buffer) US-PGPUB; EPO; JPO; DERWENT;	
EPO; JPO; DERWENT; IBM_TDB (address\$3 near5 (translat\$3 or convert\$3,or conversion or map\$4)) or tlb or atu or (translation near3 buffer) EPO; JPO; DERWENT; 2 US-PGPUB; EPO; JPO; DERWENT;	2004/03/12 14:04
15 (address\$3 near5 (translat\$3 or convert\$3 or USPAT; conversion or map\$4)) or tlb or atu or (translation near3 buffer) EPO; JPO; DERWENT;	2004/03/12 14:04
15 (address\$3 near5 (translat\$3 or convert\$3 or USPAT; conversion or map\$4)) or tlb or atu or USPAT; US-PGPUB; (translation near3 buffer) EPO; JPO; DERWENT;	2004/03/12 14:04
conversion or map\$4)) or tlb or atu or (US-PGPUB; (translation near3 buffer) EPO; JPO; DERWENT;	2004/03/12 14:04
(translation near3 buffer) EPO; JPO; DERWENT;	
DERWENT;	
l 1 - l	2004/02/12 14:00
16	2004/03/12 14:06
TOTAL COLS. OS-PGPOB; EPO; JPO;	
DERWENT;	
IBM TDB	
	2004/03/12 14:07
US-PGPUB;	
EPO; JPO;	
DERWENT;	
IBM_TDB	
18 17200 (flush\$3 or discard\$3) same (bit or flag) USPAT; 2	2004/03/12 14:08
US-PGPUB;	
EPO; JPO;	
DERWENT;	
IBM_TDB 19 4 ((address\$3 near5 (translat\$3 or convert\$3 USPAT: 2	2004/02/12 14:17
19 4 ((address\$3 near5 (translat\$3 or convert\$3 USPAT; 2 or conversion or map\$4)) or tlb or atu or US-PGPUB;	2004/03/12 14:17
(translation near3 buffer)) same EPO; JPO;	
(interfac\$3 or bridge or adaptor or adapter DERWENT;	
) same ((flush\$3 or discard\$3) same (bit or IBM TDB	
flag)) same (protection or (read near2	
only))	
	2004/03/12 14:16
) same ((address\$3 near5 (translat\$3 or US-PGPUB;	
convert\$3 or conversion or map\$4)) or tlb or EPO; JPO;	
atu or (translation near3 buffer)) DERWENT;	
IBM_TDB	0004/00/10 14 15
	2004/03/12 14:16
) same ((address\$3 near5 (translat\$3 or US-PGPUB; convert\$3 or conversion or map\$4)) or tlb or EPO; JPO;	
atu or (translation near3 buffer)) same DERWENT;	
((flush\$3 or discard\$3) same (bit or flaq)) IBM TDB	
	2004/03/12 14:33
adapter) same ((address\$3 near5 (translat\$3 US-PGPUB;	, ,
or convert\$3 or conversion or map\$4)) or tlb EPO; JPO;	
or atu or (translation near3 buffer)) same DERWENT;	
((flush\$3 or discard\$3) same (bit or flag) IBM_TDB	
)) and (protection or (read near2 only))	
	2004/03/12 14:33
adapter) same ((address\$3 near5 (translat\$3 US-PGPUB;	
or convert\$3 or conversion or map\$4)) or tlb EPO; JPO;	
or atu or (translation near3 buffer)) same DERWENT;	
((flush\$3 or discard\$3) same (bit or flag) IBM_TDB)) and (protection or (read near2 only)))	
and (@ad<=19991217 or @rlad<=19991217)	
	2004/03/12 14:32
711/144.ccls. or 711/145.ccls. or US-PGPUB;	1004/03/12 14:32
711/159.ccls. or 711/207.ccls.) or EPO; JPO;	
(709/250.ccls. or 370/465.ccls. or DERWENT;	
710/305-306.ccls.) or (710/62-63.ccls. or IBM_TDB	
710/72.ccls. or 710/312.ccls.)	

26	534	((711/133.ccls. or 711/135.ccls. or 711/144.ccls. or 711/145.ccls. or 711/159.ccls. or 711/159.ccls. or 711/207.ccls.) or (709/250.ccls. or 370/465.ccls. or 710/305-306.ccls.) or (710/62-63.ccls. or 710/72.ccls. or 710/312.ccls.)) and (interfac\$3 or bridge or adaptor or adapter) and ((flush\$3 or discard\$3) same (bit or flag))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/12 14:33
27	265	(((711/133.ccls. or 711/135.ccls. or 711/144.ccls. or 711/145.ccls. or 711/145.ccls. or 711/159.ccls. or 711/207.ccls.) or (709/250.ccls. or 370/465.ccls. or 710/305-306.ccls.) or (710/62-63.ccls. or 710/72.ccls. or 710/312.ccls.)) and (interfac\$3 or bridge or adaptor or adapter) and ((flush\$3 or discard\$3) same (bit or flag))) and (protection or (read near2 only))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/12 14:34
28	198		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/12 14:34
29	126	(((((711/133.ccls. or 711/135.ccls. or 711/144.ccls. or 711/145.ccls. or 711/145.ccls. or 711/159.ccls. or 711/159.ccls. or 711/207.ccls.) or (709/250.ccls. or 370/465.ccls. or 710/305-306.ccls.) or (710/62-63.ccls. or 710/72.ccls. or 710/312.ccls.)) and (interfac\$3 or bridge or adaptor or adapter) and ((flush\$3 or discard\$3) same (bit or flag))) and (protection or (read near2 only))) and (@ad<=19991217 or @rlad<=19991217)) and ((address\$3 near5 (translat\$3 or convert\$3 or conversion or map\$4)) or tlb or atu or (translation near3 buffer))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/12 14:34
30	50754		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/12 14:35
31	42	(((((((711/133.ccls. or 711/135.ccls. or 711/144.ccls. or 711/145.ccls. or 711/145.ccls. or 711/159.ccls. or 711/207.ccls.) or (709/250.ccls. or 370/465.ccls. or 710/305-306.ccls.) or (710/62-63.ccls. or 710/72.ccls. or 710/312.ccls.)) and (interfac\$3 or bridge or adaptor or adapter) and ((flush\$3 or discard\$3) same (bit or flag))) and (protection or (read near2 only)) and (@ad<=19991217 or @rlad<=19991217)) and ((address\$3 near5 (translat\$3 or convert\$3 or conversion or map\$4)) or tlb or atu or (translation near3 buffer))) and ((interfac\$3 or bridge or adaptor or adapter) same (protection or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/12 14:35

10	1 ((((select\$3 or multiplex\$3) with (wait or	USPAT;	2004/03/12 12:40
	delay\$3) with (tim\$4 or clock\$3)) and	US-PGPUB;	
	(713/400-401.ccls. or 713/500-503.ccls. or	EPO; JPO;	
	713/600-601.ccls.)) and (address\$3 same	DERWENT;	
	(((test near2 set) or (read near2 modif\$3	IBM_TDB	
	near2 write) or atomic\$5 or (condition near4	_	
	(write or stor\$3)) or rmw)))) and		
-	(((lock\$3 or mutex) near2 (variable or		
	number or bit or byte or flag or value or		
	code)) with ((shar\$3 or common or "same")		
	<pre>near2 (memory or resource or storage)))</pre>		